

Offer



allyouneed Online GmbH
Schickgasse 3/2
1220 Wien

Director: Michael Swoboda, Mag. Hertha Swoboda
Trade register no: FN207686x

Phone: +43 1 285 8778
Fax: +43 1 285 8778 - 87

Website: <http://www.ayno.at>
Shop: <http://global.ayno.at/shop>



Table of contents



Quantum Scalar i500 - Tape library
Order form

3
5

Quantum Scalar i500 – Tape library

Product information

Shop-Navcode S4367714
 Manufacturer Quantum



Product information	
Part number	S4367714
Manufacturer	Quantum
Manuf. part number	LSC55-BSYS-024N
Main specifications	
Product Description	Quantum Scalar i500 - tape library - no tape drives
Device Type	Tape library
Enclosure Type	Rack-mountable - 23U
Removable Media Capacity	36
Max Supported Drives	10
Supported Tape Drives	LTO Ultrium 2, LTO Ultrium 3
Key Features	Barcode reader
Dimensions (WxDxH)	44.2 cm x 79.8 cm x 102 cm
Weight	83.6 kg
Storage Removable	No tape drives
Power	AC 120/230 V (50/60 Hz)
Power Redundancy	Optional
General	
Device Type	Tape library - no tape drives
Enclosure Type	Rack-mountable - 23U
Removable Media Capacity	36
Max Supported Drives	10
Supported Tape Drives	LTO Ultrium 2, LTO Ultrium 3
Key Features	Barcode reader
Built-in Devices	Touch screen
Width	44.2 cm
Depth	79.8 cm
Height	102 cm
Weight	83.6 kg
Storage Removable	
Type	No tape drives
Expansion / Connectivity	
Interfaces	1 x Ethernet 10Base-T/100Base-TX (management) - RJ-45 1 x Ethernet 10Base-T/100Base-TX/1000Base-T - RJ-45
Miscellaneous	
Rack Mounting Kit	Included
Compliant Standards	TUV GS, VCCI, CISPR 22 Class A, GOST, EN 61000-3-2, IEC 60950, EN 61000-3-3, EN55024, EN55022 Class A, FCC
Power	
Type	Power supply - hot-plug

allyouneed Online GmbH

Schickgasse 3/2
1220 Wien

Director: Michael Swoboda, Mag.
Hertha Swoboda
Trade register no: FN207686x
Purchase tax ID: ATU 53210207

Phone: +43 1 285 8778
Fax: +43 1 285 8778 - 87

Website: <http://www.ayno.at>
Shop: <http://global.ayno.at/shop>



Quantum Scalar i500 – Tape library

Product information

Shop-Navcode S4367714
Manufacturer Quantum

Power Redundancy	Optional
Power Redundancy Scheme	N+N (with optional power supply)
Installed Qty	3
Max Supported Qty	6
Voltage Required	AC 120/230 V (50/60 Hz)
Environmental Parameters	
Min Operating Temperature	10 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80%

allyouneed Online GmbH

Schickgasse 3/2
1220 Wien

Director: Michael Swoboda, Mag.
Hertha Swoboda
Trade register no: FN207686x
Purchase tax ID: ATU 53210207

Phone: +43 1 285 8778
Fax: +43 1 285 8778 – 87

Website: <http://www.ayno.at>
Shop: <http://global.ayno.at/shop>



